

DCFC 2X3 QUICK CONNECT BASE

ABOUT

Shoals $^{\text{TM}}$ introduces the Quick Connect Base (QCB) for DC fast chargers to simplify the deployment of EV charging infrastructure. The Quick Connect Base works with the above-ground EV Raceway from Shoals to deploy EV charging infrastructure, eliminating the need for trenching and speeding up deployment.

FEATURES

- Used with Shoals EV Raceway for above ground installation
- · Multiple configurations for transitioning between single- and double-stacked raceways
- · Compatible with all major DC fast chargers
- Cable access through removable side plates
- · Standard 5-year warranty on all models
- ETL Listed to UL67
- ETL Listed to CSA C22.2 #29 Panelboards and Enclosed Panelboards

OPTIONS

- · Breakers for local overcurrent protection
- · Can be mounted on concrete using concrete bolts or asphalt using earth screws
- 6" high lower profile base for ADA layouts
- Kit available for Seismic Design Category D or 160mph wind loading requirements



TECHNICAL SPECS	10" Tubular Steel	6" Tubular Steel
Charger Weight Capacity	<1500 lbs	<1500 lbs
Dimensions (H x W x D)	10" x 39.46" x 29.21"	6" x 39.46" x 29.21"
Top Plate Thickness	0.25"	0.25"
Approx. QCB Weight	194 lbs	175 lbs
Ambient Temp. Range	-25°C to 50°C	-25°C to 50°C

Product design and specification subject to change or modification without notice.





